

Taking our Sealing Edge Technology™ to a new level, our patented Eagle Claw Clamp will revolutionize your loadzone.

It's everyone's problem. The skirting is sealing to the belt, the clamps are in place, and everything is functioning just as advertised, freshly installed. But as time goes on, the skirtboard stops sealing the way it should. There are Gaps. There is a Mess.

It's not the skirtboard. Skirtboard is flexible by design, enabling it to move around obstacles like splices and patches. The problem is that current clamping systems on the market are not allowing skirtboard to return to the sealing positions.

The new Eagle Claw Clamp solves the issue. Armed with various steel engaging tips, the clamp bites into the skirtboard like teeth, drawing into the skirtboard on an angle. This creates a complete engaging trap that holds the skirtboard in place at all times, allowing the skirtboard to do what it was designed to do. Because the skirtboard cannot move from the Eagle Claw Clamp, the skirtboard can flex, to accommodate belt splices, clips or patches passing through the load zone.



STAINLESS STEEL AVAILABLE UPON REQUEST

FEATURES AND BENEFITS:

ENGAGING TEETH

Teeth ensure the skirtboard is secure



PROPELLER NUT

- Manual and tool tightening capabilities
- The length of the nut also covers the threaded area for prevention of corrosion



MOUNTING RAIL

 We use standard components that are easily obtained at local hardware stores



www.americaneaglemanufacturing.com 866-713-8985

EAGLE CLAW CLAMP



EAGLE CLAW CLAMP & PLATE LOW PROFILE ECCPL48 & ECCPL60

Taking our Sealing Edge Technology[™] to a new level, our patented Eagle Claw Clamp will revolutionize your loadzone.

It's everyone's problem. The skirting is sealing to the belt, the clamps are in place, and everything is functioning just as advertised, freshly installed. But as time goes on, the skirtboard stops sealing the way it should. There are Gaps. There is a Mess.

It's not the skirtboard. Skirtboard is flexible by design, enabling it to move around obstacles like splices and patches. The problem is that current clamping systems on the market are not allowing skirtboard to return to the sealing positions.

The new Eagle Claw Clamp solves the issue. Armed with various steel engaging tips, the clamp bites into the skirtboard like teeth, drawing into the skirtboard on an angle. This creates a complete engaging trap that holds the skirtboard in place at all times, allowing the skirtboard to do what it was designed to do. Because the skirtboard cannot move from the Eagle Claw Clamp, the skirtboard can flex, to accommodate belt splices, clips or patches passing through the load zone.



ENGAGING TEETH

Teeth ensure the skirtboard is secure



PROPELLER NUT

- Manual and tool tightening capabilities
- The length of the nut also covers the threaded area for prevention of corrosion



MOUNTING PLATE

• Plate is designed to shore up load zone outer walls that are inadequate. Note: Distance between belt and chute wall should be 1" to 2"



www.americaneaglemanufacturing.com 866-713-8985

EAGLE CLAW CLAMP



EAGLE CLAW CLAMP & AR LINER LOW PROFILE ECCLLP48 & ECCLLP60

Taking our Sealing Edge Technology[™] to a new level, our patented Eagle Claw Clamp will revolutionize your loadzone.

It's everyone's problem. The skirting is sealing to the belt, the clamps are in place, and everything is functioning just as advertised, freshly installed. But as time goes on, the skirtboard stops sealing the way it should. There are Gaps. There is a Mess.

It's not the skirtboard. Skirtboard is flexible by design, enabling it to move around obstacles like splices and patches. The problem is that current clamping systems on the market are not allowing skirtboard to return to the sealing positions.

The new Eagle Claw Clamp solves the issue. Armed with various steel engaging tips, the clamp bites into the skirtboard like teeth, drawing into the skirtboard on an angle. This creates a complete engaging trap that holds the skirtboard in place at all times, allowing the skirtboard to do what it was designed to do. Because the skirtboard cannot move from the Eagle Claw Clamp, the skirtboard can flex, to accommodate belt splices, clips or patches passing through the load zone.



FEATURES AND BENEFITS:

ENGAGING TEETH

 Teeth ensure the skirtboard is secure



PROPELLER NUT

- Manual and tool tightening capabilities
- The length of the nut also covers the threaded area for prevention of corrosion



AR LINER

- AR Liner is designed to shore up load zone gap between belt
- AR Liner is adjustable
- AR Liner is easily replaced



www.americaneaglemanufacturing.com 866-713-8985