

# EAGLE CLAW CLAMP



## ECC48 & ECC60

Taking our Sealing Edge Technology™ to a new level, our patented Eagle Claw Clamp will revolutionize your loadzone.

It's everyone's problem. The skirting is sealing to the belt, the clamps are in place, and everything is functioning just as advertised, freshly installed. But as time goes on, the skirtboard stops sealing the way it should. There are Gaps. There is a Mess.

It's not the skirtboard. Skirtboard is flexible by design, enabling it to move around obstacles like splices and patches. The problem is that current clamping systems on the market are not allowing skirtboard to return to the sealing positions.

The new Eagle Claw Clamp solves the issue. Armed with various steel engaging tips, the clamp bites into the skirtboard like teeth, drawing into the skirtboard on an angle. This creates a complete engaging trap that holds the skirtboard in place at all times, allowing the skirtboard to do what it was designed to do. Because the skirtboard cannot move from the Eagle Claw Clamp, the skirtboard can flex, to accommodate belt splices, clips or patches passing through the load zone.



PATENT NUMBER  
9938087

OVERALL  
HEIGHT  
**6"**

ITEM NUMBER	SIZE	DESCRIPTION	WEIGHT
ECC48	48"	Eagle Claw Clamp with Standard Rail Attachment	23
ECC60	60"	Eagle Claw Clamp with Standard Rail Attachment	28

STAINLESS STEEL AVAILABLE UPON REQUEST

## FEATURES AND BENEFITS:

### ENGAGING TEETH

- Teeth ensure the skirtboard is secure



### PROPELLER NUT

- Manual and tool tightening capabilities
- The length of the nut also covers the threaded area for prevention of corrosion



### MOUNTING RAIL

- We use standard components that are easily obtained at local hardware stores



[www.americaneaglemanufacturing.com](http://www.americaneaglemanufacturing.com)

866-713-8985

# EAGLE CLAW CLAMP



## EAGLE CLAW CLAMP & PLATE ECCP48 & ECCP60

Taking our Sealing Edge Technology™ to a new level, our patented Eagle Claw Clamp will revolutionize your loadzone.

It's everyone's problem. The skirting is sealing to the belt, the clamps are in place, and everything is functioning just as advertised, freshly installed. But as time goes on, the skirtboard stops sealing the way it should. There are Gaps. There is a Mess.

It's not the skirtboard. Skirtboard is flexible by design, enabling it to move around obstacles like splices and patches. The problem is that current clamping systems on the market are not allowing skirtboard to return to the sealing positions.

The new Eagle Claw Clamp solves the issue. Armed with various steel engaging tips, the clamp bites into the skirtboard like teeth, drawing into the skirtboard on an angle. This creates a complete engaging trap that holds the skirtboard in place at all times, allowing the skirtboard to do what it was designed to do. Because the skirtboard cannot move from the Eagle Claw Clamp, the skirtboard can flex, to accommodate belt splices, clips or patches passing through the load zone.



PATENT NUMBER  
9938087

OVERALL  
HEIGHT  
**6 1/2"**

ITEM NUMBER	SIZE	DESCRIPTION	WEIGHT
ECCP48	48"	Eagle Claw Clamp with 1/4" Thick Plate	38
ECCP60	60"	Eagle Claw Clamp with 1/4" Thick Plate	47

### FEATURES AND BENEFITS:

STAINLESS STEEL AVAILABLE UPON REQUEST

#### ENGAGING TEETH

- Teeth ensure the skirtboard is secure

#### PROPELLER NUT

- Manual and tool tightening capabilities
- The length of the nut also covers the threaded area for prevention of corrosion

#### MOUNTING PLATE

- Plate is designed to shore up load zone outer walls that are inadequate.  
*Note: Distance between belt and chute wall should be 1" to 2"*



# EAGLE CLAW CLAMP



## EAGLE CLAW CLAMP & AR LINER ECCL48 & ECCL60

Taking our Sealing Edge Technology™ to a new level, our patented Eagle Claw Clamp will revolutionize your loadzone.

It's everyone's problem. The skirting is sealing to the belt, the clamps are in place, and everything is functioning just as advertised, freshly installed. But as time goes on, the skirtboard stops sealing the way it should. There are Gaps. There is a Mess.

It's not the skirtboard. Skirtboard is flexible by design, enabling it to move around obstacles like splices and patches. The problem is that current clamping systems on the market are not allowing skirtboard to return to the sealing positions.

The new Eagle Claw Clamp solves the issue. Armed with various steel engaging tips, the clamp bites into the skirtboard like teeth, drawing into the skirtboard on an angle. This creates a complete engaging trap that holds the skirtboard in place at all times, allowing the skirtboard to do what it was designed to do. Because the skirtboard cannot move from the Eagle Claw Clamp, the skirtboard can flex, to accommodate belt splices, clips or patches passing through the load zone.



PATENT NUMBER  
9938087

OVERALL  
HEIGHT  
**8"**

ITEM NUMBER	SIZE	DESCRIPTION	WEIGHT
ECCL48	48"	Eagle Claw Clamp with AR Liner	37
ECCL60	60"	Eagle Claw Clamp with AR Liner	46

STAINLESS STEEL AVAILABLE UPON REQUEST

### FEATURES AND BENEFITS:

#### ENGAGING TEETH

- Teeth ensure the skirtboard is secure



#### PROPELLER NUT

- Manual and tool tightening capabilities
- The length of the nut also covers the threaded area for prevention of corrosion



#### AR LINER

- AR Liner is designed to shore up load zone gap between belt
- AR Liner is adjustable
- AR Liner is easily replaced



[www.americaneaglemanufacturing.com](http://www.americaneaglemanufacturing.com)  
866-713-8985